

ARVINE PIPE & SUPPLY COMPANY, INC.

1708 TOPEKA DRIVE NORMAN, OK 73069 PHONE (405)364-1950 FAX (405)364-8870

EMAIL: arvine@arvinepipe.com WEB PAGE: www.arvinepipe.com

OILFIELD EQUIPMENT INVENTORY

3 – NEW TITAN 456-305-144

CRANK ADJUSTABLE, WIDE BASE SKID, DOUBLE REDUCTION, HERRINGBONE GEARS, GROUND LEVEL LUBRICATION, BELT GUARD, PUMPER STAND ON SAMPSON POST, SAFETY BRAKE. 1YEAR WARRANTY.

AMERICAN 320-256-86

CRANK ADJUSTABLE, WIDE BASE SKID, DOUBLE REDUCTION.

15 – NEW TITAN 320-256-120

CRANK ADJUSTABLE, WIDE BASE SKID, DOUBLE REDUCTION, HERRINGBONE GEARS, GROUND LEVEL LUBRICATION, BELT GUARD, PUMPER STAND ON SAMPSON POST, SAFETY BRAKE. 1YEAR WARRANTY.

18 – NEW TITAN 228-246-86

DOUBLE REDUCTION, GEAR DRIVEN, CRANK ADJUSTABLE, FACTORY WIDE BASE, LOW PRIME MOTOR MOUNT, BELT GUARD, PUMPER STAND ON LADDER, SAFETY BRAKE. 1YEAR WARRANTY.

NATIONAL 228-246-86

DOUBLE REDUCTION, GEAR DRIVEN, BELT GUARD, FACTORY WIDE BASE, GAS ENGINE MOTOR RAILS. NEW HIGH SPEED & INTERMEDIATE GEARS.

RIGMASTER 228-246-86

DOUBLE REDUCTION, CRANK ADJUSTABLE, WIDE BASE SKID, LOW PRIME ELECTRIC MOTOR MOUNT.

CONTINENTAL EMSCO 228-305-74

DOUBLE REDUCTION, GEAR DRIVEN, CRANK ADJUSTABLE, LOW PRIME MOTOR MOUNT.

PARKERSBURG 228-246-74

MODEL J40-20, DOUBLE REDUCTION, GEAR DRIVEN, LEAF WEIGHTS AND BEAM WEIGHTS, T-BASE, 209,000 PEAK TORQUE.

LUFKIN 160-173-74

MARK II GRASSHOPPER, DOUBLE REDUCTION, GEAR DRIVEN, CRANK ADJUSTABLE, WIDE BASE SKID. SERIAL #: D70497-406582

10 - NEW TITAN 160-173-74

DOUBLE REDUCTION, GEAR DRIVEN, CRANK ADJUSTABLE, FACTORY WIDE BASE, LOW PRIME MOTOR MOUNT, BELT GUARD, PUMPER STAND ON LADDER, SAFETY BRAKE. 1YEAR WARRANTY.

AMERICAN 160-173-64

CRANK ADJUSTABLE, DOUBLE REDUCTION, GEAR DRIVEN, LOW PRIME ELECTRIC. T-BASE ON CONCRETE PAD.

AMERICAN 160-173-64

CRANK ADJUSTABLE, DOUBLE REDUCTION, GEAR DRIVEN, LOW PRIME, WIDE BASE SKID.

BETHLEHEM 160-173-64

DOUBLE REDUCTION, CRANK ADJUSTABLE, WIDE BASE SKID, LOW PRIME ELECTRIC.

JENSON 160-173-74

DOUBLE REDUCTION, GEAR DRIVEN, CRANK ADJUSTABLE, WIDE BASE SKID.

HELLSTAR 160-173-64

DOUBLE REDUCTION, CRANK ADJUSTABLE, GEAR DRIVEN, FACTORY WIDE BASE, LOW PRIME MOTOR MOUNT, SERIAL #10134, (CITROEN API GEAR BOX).

CITROEN 160-200-86

DOUBLE REDUCTION, CRANK ADJUSTABLE, T-BASE ON CONCRETE T-BASE, GAS BASE EXTENSION, FULLY WEIGHTED.

OILWELL 160-173-74

DOUBLE REDUCTION, LEAF WEIGHTS, GEAR DRIVEN, LOW PRIME ENGINE MOTOR RAILS, WIDE BASE SKID.

OILWELL 160-173-64

WIDE BASE, LEAF WEIGHTS, DOUBLE REDUCTION, GEAR DRIVEN, SERIAL # T148-50, RATIO: 31.5.

NATIONAL 160-173-64

SINGLE REDUCTION, CRANK ADJUSTABLE, T-BASE ON WIDE BASE, RATIO 9.7, SERIAL # T174-274.

HESSTON 114-143-54

CHAIN DRIVEN, WIDE BASE, CRANK ADJUSTABLE, DOUBLE REDUCTION, GAS ENGINE MASTER RAILS.

TRICO 114-143-64

DOUBLE REDUCTION, CRANK ADJUSTABLE, GEAR DRIVEN, FACTORY WIDE SKID, LOW MOTOR BASE.

2 - TITAN (PERMIAN) 114-173-64 NEW

DOUBLE REDUCTION, GEAR DRIVEN, 4 MASTER WEIGHTS, LOW PRIME ELECTRIC.

NATIONAL 114-143-54

DOUBLE REDUCTION, CRANK ADJUSTABLE, WIDE BASE SKID, LOW ENGINE RAILS.

PARKERSBURG 114-143-54

DOUBLE REDUCTION, CRANK ADJUSTABLE, WIDE BASE SKID, GEAR DRIVEN. SERIAL #: P20345.

CABOT 114-143-54

TYPE-DC 22. DOUBLE REDUCTION, GEAR DRIVEN. 120,000" PEAK TORQUE, LEAF WEIGHTED, HIGH PRIME BASE, WIDE SKID.

2 - BETHLEHEM 114-143-54

DOUBLE REDUCTION, GEAR DRIVEN, LEAF WEIGHTS, WIDE BASE SKID, R-1106.

WHITAKER 114-143-64

CRANK ADJUSTABLE, TRIPLE REDUCTION, GEAR DRIVEN, WIDE BASE, HIGH PRIME ELECTRIC.

2 - BETHLEHEM 114-143-54

CRANK ADJUSTABLE, DOUBLE REDUCTION, GEAR DRIVEN, WIDE BASE, LOW GAS ENGINE MOTOR MOUNT, SERIAL # S-163.

ALTEN 114-143-64

DOUBLE REDUCTION, GEAR DRIVEN, CRANK ADJUSTABLE, LOW PRIME MOTOR BASE, WIDE BASE.
SERIAL #: 809.

HAPPY 114-143-54

SINGLE REDUCTION, CRANK ADJUSTABLE, 7" WIDE PIPE SKID, SERIAL #144, CHAIN DRIVEN, PEAK TORQUE 136,794#,
ELECTRIC MOTOR RAILS, (JACK SHAFT).

IDECO 114-124-54

CRANK ADJUSTABLE, DOUBLE REDUCTION, GEAR DRIVEN, T-BASE ON PAD. SERIAL # 096.

CONTINENTAL EMSCO 80-128-48

DOUBLE REDUCTION, GEAR DRIVEN, CRANK ADJUSTABLE, WIDE BASE, SERIAL # 1691, RATIO: 25:1.

ALTEN 80-109-48

CRANK ADJUSTABLE, DOUBLE REDUCTION, GEAR DRIVEN, WIDE BASE SKID.

CABOT 80-105-44

DOUBLE REDUCTION, GEAR DRIVEN, LEAF WEIGHTS, WIDE BASE, LOW ELECTRIC MOTOR RAILS, DC151245.
SERIAL # 16124.

NATIONAL 57-95-48

DOUBLE REDUCTION, CRANK ADJUSTABLE, SERIAL # 2396, HIGH PRIME SKID

CABOT 57-95-48

DOUBLE REDUCTION, GEAR DRIVEN, LEAF WEIGHTS, 7" WIDE BASE, HIGH MOUNT MOTOR RAILS @ GAS ENGINE
SERIAL # 1120108, PEAK TORQUE 62,500.

ARVINE PIPE & SUPPLY COMPANY, INC.
1708 TOPEKA DRIVE NORMAN, OK 73069 PHONE (405)364-1950
EMAIL: arvine@arvinepipe.com WEB PAGE: www.arvinepipe.com
OILFIELD EQUIPMENT INVENTORY

OILWELL 57-95-48

DOUBLE REDUCTION, CRANK ADJUSTABLE, GEAR DRIVEN, WIDE BASE SKID, SERIAL #116-1552.

2 - ALTEN 57-109-48

DOUBLE REDUCTION, GEAR DRIVEN, BEAM WEIGHTS, WIDE FACTORY SKID, MODEL A 57D, SERIAL #A1696, RATION 39:9.1.

CMC 57-109-48

WIDE BASE, CHAIN DRIVEN, DOUBLE REDUCTION, BEAM WEIGHTS, SERIAL # B0480545B, RATIO 29:5.

CONTINENTAL EMSCO 57-104-48

CRANK ADJUSTABLE, DOUBLE REDUCTION, T-BASE, GEAR DRIVEN, SERIAL #1417.

PARKERSBURG 57-109-44

DOUBLE REDUCTION, GEAR DRIVEN, WIDE BASE SKID, BEAM & CRANK WEIGHTS, SERIAL # 23-338. RATIO 30.17.

PARKERSBURG CHAIN 57D-104-42

TYPE=42-C457D-10-B5, RATIO 19.86, SERIAL #27270, T-BASE, BEAM AND LEAF WEIGHTS.

IDECO 57-89-48

RATIO 30.9, DOUBLE REDUCTION, GEAR DRIVEN, BEAM & CRANK WEIGHTS, WIDE 4 1/2" PIPE SKID, SERIAL #1005.

ALTEN 40-89-42

SERIAL #A3401, RATIO 28:1, 4" PIPE SKID, BEAM WEIGHTS, ELECTRIC MOTOR RAILS.

CONTINENTAL EMSCO 40-89-38

SERIAL #1940, CRANK ADJUSTABLE, DOUBLE REDUCTION, GEAR DRIVEN, WIDE FACTORY I-BEAM SKID.

CONTINENTAL EMSCO D40-80-42

SERIAL #1520, RATIO 30.2:1, T-BASE, CRANK ADJUSTABLE, DOUBLE REDUCTION, GEAR DRIVEN.

JENSEN 40-89-42

DOUBLE REDUCTION, BEAM WEIGHTS, WIDE BASE SKID.

2 - OILWELL 40-89-42

DOUBLE REDUCTION, WIDE BASE, GEAR DRIVEN, BEAM WEIGHTS. SERIAL # T166468.

IDECO 40-89-42

DOUBLE REDUCTION, WIDE BASE, GEAR DRIVEN, BEAM WEIGHTS.

AMERICAN 40-95-36

FACTORY WIDE BASE, GEAR DRIVEN, CRANK WEIGHTED, DOUBLE REDUCTION.

NATIONAL 40-89-32

WIDE BASE SKID, BEAM WEIGHTS.

CHURCHILL 25-53-30

FACTORY WIDE BASE, ELECTRIC MOTOR RAIL, BEAM WEIGHTED. SERIAL #: 176612

COOK 40-89-32

FACTORY WIDE BASE, BEAM WEIGHTS. SERIAL #: 403358

PETERSON 40-89-36

FACTORY WIDE BASE, BEAM WEIGHTS. SERIAL #: 88BE-40043